

#### **Manufacturer:**

Dymax®

#### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1272/2008 and Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878

#### **OP-21G**

Issuing Date 06-Jul-2023 Revision date 06-Jul-2023 Revision Number 33

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name

OP-21G

Unique Formula Identifier (UFI)

3C91-2075-P009-R626

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.

Uses advised against

1.3. Details of the supplier of the safety data sheet

Manufacturing sites
Dymax Asia Pacific Pte Ltd. Manufacturer Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TECHplace II Singapore 569874 Fax: 860-496-0608 Tel: +65-6752-2887

Fax: +65-6752-2813

Supplier

Dymax Asia Pacific Pte Ltd. Block 5008 (East Wing) Ang Mo Kio Ave. 5 #05-3 TECHplace II Singapore 569874 Tel: +65-6752-2887 Fax: +65-6752-2813

For further information, please contact

E-mail address Product\_Regulatory\_Europe@dymax.com

1.4. Emergency telephone number

**Emergency Telephone** Chemtrec @ 001-703-741-5970 (24hrs)

| Austria +(43)-13649237      |                                 | Bulgaria +(359)-32570104         |
|-----------------------------|---------------------------------|----------------------------------|
| Croatia +(385)-17776920     | Czech Republic +(420)-228880039 | Denmark +(45)-69918573           |
| Estonia +(372)-6681294      | Finland +(358)-942419014        | France +(33)-975181407           |
| Germany 0800-181-7059       | Greece +(30)-2111768478         | Hungary +(36)-18088425           |
| Ireland +(353)-19014670     | Italy 800-789-767               | Latvia +(371)-66165504           |
| Lithuania +(370)-52140238   | Luxembourg +(352)-20202416      | Netherlands +(31)-858880596      |
| Norway +(47)-21930678       | Poland +(48)-223988029          | Portugal +(351)-308801773        |
| Romania (+40)-37-6300026    | Slovakia +(423)-233057972       | Slovenia +(386)-18888016         |
| Spain 900-868538            | Sweden +(46)-852503403          | United Kingdom +(44)-870-8200418 |
| Israel +(972)-37630639      | Russia 8-800-100-6346           | Saudi Arabia +(966)-8111095861   |
| Switzerland +(41)-435082011 | Turkey +(90)-212-7055340        | Ukraine +(380)-947101374         |

Page 1/15





#### **Manufacturer:**

Dymax®

#### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| Acute toxicity - Oral  | Category 4 - (H302) |  |
|--|---------------------|--|
| Skin corrosion/irritation  | Category 2 - (H315) |  |
| Serious eye damage/eye irritation                                    | Category 1 - (H318) |  |
| Skin sensitization   | Category 1 - (H317) |  |
| Specific target organ toxicity (single exposure) Category 3 - (H335) |                     |  |
| Category 3 - Respiratory irritation                                  | ·                   |  |

#### 2.2. Label elements



Signal word - Danger

Contains Isobornyl Acrylate, N,N-Dimethylacrylamide, 1-Propanone, 2-hydroxy-2-methyl-1-phenyl-

#### Hazard statements

H302 - Harmful if swallowed

H315 - Causes skin irritation H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

EUH208 - Contains 2-Hydroxyethyl methacrylate, Bisphenol-A epoxy resin May produce an allergic reaction.

#### Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### Additional information

This product requires tactile warnings if supplied to the general public.

#### 2.3. Other hazards

No information available

#### **Product Information**

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

#### PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Page 2 / 15





### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

**Endocrine Disruptor Information** 

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

| Chemical name                | CAS        | EC No (EU Index | REACH registration | Weight-% | Classification according to |
|------------------------------|------------|-----------------|--------------------|----------|-----------------------------|
|                              |            | No)             | number             |          | Regulation (EC) No.         |
|                              |            | ·               |                    |          | 1272/2008 [CLP]             |
| Isobornyl Acrylate           | 5888-33-5  | (607-756-00-6)  | 01-2119957862-25   | 25-39    | Skin Irrit. 2 (H315)        |
|                              |            | 227-561-6       | -0011              |          | Eye Irrit. 2 (H319)         |
|                              |            |                 |                    |          | Skin Sens. 1 (H317)         |
|                              |            |                 |                    |          | STOT SE 3 (H335)            |
|                              |            |                 |                    |          | Aquatic Acute 1 (H400)      |
|                              |            |                 |                    |          | Aquatic Chronic 1 (H410)    |
| N,N-Dimethylacrylamide       | 2680-03-7  | 220-237-5       | 01-2119971262-39   | 10-24    | Acute Tox. 3 (H301)         |
|                              |            |                 | -0007              |          | Acute Tox. 3 (H311)         |
|                              |            |                 |                    |          | Eye Dam. 1 (H318)           |
| 1-Propanone,                 | 7473-98-5  | 231-272-0       | -                  | 1-<3     | Acute Tox. 4 (H302)         |
| 2-hydroxy-2-methyl-1-phenyl- |            |                 |                    |          | Aquatic Chronic 3 (H412)    |
| Diphenyl                     | 75980-60-8 | (015-203-00-X)  | -                  | <1       | Repr. 2 (H361f)             |
| (2,4,6-trimethylbenzoyl)     |            | 278-355-8       |                    |          |                             |
| phosphine oxide              |            |                 |                    |          |                             |
| 2-Hydroxyethyl methacrylate  | 868-77-9   | (607-124-00-X)  | 01-2119490169-29   | <1       | Skin Irrit. 2 (H315)        |
|                              |            | 212-782-2       | -0022              |          | Eye Irrit. 2 (H319)         |
|                              |            |                 |                    |          | Skin Sens. 1 (H317)         |
| Bisphenol-A epoxy resin      | 25068-38-6 | (603-074-00-8)  | -                  | <1       | Skin Irrit. 2 (H315)        |
|                              |            | ĺ .             |                    |          | Eye Irrit. 2 (H319)         |
|                              |            |                 |                    |          | Skin Sens. 1 (H317)         |
|                              |            |                 |                    |          | Aquatic Chronic 2 (H411)    |

| Chemical name           | CAS        | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) |
|-------------------------|------------|------------------------------------|----------|----------------------|
| Bisphenol-A epoxy resin | 25068-38-6 | Eye Irrit. 2 :: C>=5%              |          |                      |
|                         |            | Skin Irrit. 2 :: C>=5%             |          |                      |

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its

| Chemical name             | Oral LD50 mg/kg | Dermal LD50<br>mg/kg | <br>Inhalation LC50 - 4<br>hour - vapor - mg/L | Inhalation LC50 - 4<br>hour - gas - ppm |
|---------------------------|-----------------|----------------------|--|---|
| Isobornyl Acrylate        | 4890            | 3000                 |  |   |
| N,N-Dimethylacrylamide    | 316             |                      |  |   |
| 1-Propanone,              | 1694            | 6929                 |  |   |
| 2-hydroxy-2-methyl-1-phen |                 |                      |  |   |

Page 3 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

| Chemical name   | Oral LD50 mg/kg | Dermal LD50<br>mg/kg | Inhalation LC50 - 4<br>hour - vapor - mg/L |  |
|---|-----------------|----------------------|--|--|
| yl-   |                 |                      |  |  |
| Diphenyl<br>(2,4,6-trimethylbenzoyl)<br>phosphine oxide |                 | 2000                 |  |  |
| 2-Hydroxyethyl<br>methacrylate                          | 5050            | 3000                 |  |  |
| Bisphenol-A epoxy resin                                 | 11400           |                      |  |  |

#### Full text of H- and EUH-phrases: see section 16

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

| Chemical name                     | CAS        | SVHC candidates |
|-----------------------------------|------------|-----------------|
| Diphenyl (2,4,6-trimethylbenzoyl) | 75980-60-8 | X               |
| phosphine oxide                   |            |                 |

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Keep eye wide open while rinsing. Do not rub affected area.

**Skin contact**Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Page 4/15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**OP-21G** - **OP-21G** Revision date 06-Jul-2023

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

no ngmoro

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation.

Protect from light.

Page 5 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up. Keep container tightly closed in a dry and well-ventilated place.

Protect from light.

Storage class (TRGS 510) Storage class 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

| Chemical name                              | European Union | Austria      | Belgium         | Bulgaria   | Croatia                                 |
|--|----------------|--------------|-----------------|--|---|
| Bisphenol-A epoxy resin<br>25068-38-6      | =              | =            | -               | TWA: 1.0 mg/m <sup>3</sup>   | -                                       |
| Chemical name                              | France         | Germany TRGS | Germany DFG     | Greece   | Hungary                                 |
| Isobornyl Acrylate<br>5888-33-5            | -              | =            | skin sensitizer | =  | -                                       |
| 2-Hydroxyethyl<br>methacrylate<br>868-77-9 | -              | -            | skin sensitizer | -  | -                                       |
| Chemical name                              | Ireland        | Italy MDLPS  | Italy AIDII     | Latvia   | Lithuania                               |
| 2-Hydroxyethyl<br>methacrylate<br>868-77-9 | -              | -            | -               | -  | Sensitizer<br>TWA: 20 mg/m <sup>3</sup> |
| Chemical name                              | Luxembourg     | Malta        | Netherlands     | Norway   | Poland                                  |
| 2-Hydroxyethyl<br>methacrylate<br>868-77-9 | _              | -            | -               | TWA: 2 ppm<br>TWA: 11 mg/m <sup>3</sup><br>STEL: 4 ppm<br>STEL: 16.5 mg/m <sup>3</sup> | -                                       |

#### Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

No information available

Derived No Effect Level (DNEL) - General Public

No information available.

Data is subject to change without notice.

Page 6 / 15







#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

**OP-21G - OP-21G Revision date** 06-Jul-2023

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Nitrile rubber, Butyl rubber.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

None known

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

Environmental exposure controls No information available.

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance translucent
Color colorless
Odor Characteristic.
Odor threshold No information available

 Property
 Values
 Remarks • Method

 Melting point / freezing point
 No data available
 None known

 Boiling point / boiling range
 No data available
 None known

 Flammability (solid, gas)
 No data available
 None known

 Flammability Limit in Air
 None known

Upper flammability or explosive No data available limits

Lower flammability or explosive No data available limits

Flash point 101 - °C Pensky-Martens Closed Cup (PMCC)

Autoignition temperature 470 °C

Decomposition temperature

None known No data available None known None known pH (as aqueous solution) No data available Kinematic viscosity No data available None known Dynamic viscosity Water solubility 25.000 cP None known No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapor pressure No data available None known No data available None known Relative density

No data available

Page 7 / 15



**Bulk density** 



#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

Liquid Density Relative vapor density No data available No data available

None known

Particle characteristics Particle Size Particle Size Distribution

No information available No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

**9.2.2. Other safety characteristics** No information available

#### SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available

10.2. Chemical stability

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

#### SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes

Page 8 / 15





#### **Manufacturer:**

Dymax®

#### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

**Skin contact** Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and

tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 1,468.30 mg/kg

 ATEmix (dermal)
 3,624.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 99,999.00 mg/l

Component Information

| Chemical name   | Oral LD50           | Dermal LD50             | Inhalation LC50    |
|---|---------------------|-------------------------|--------------------|
| Isobornyl Acrylate                                      | = 4890 mg/kg (Rat)  | > 3000 mg/kg ( Rabbit ) | -                  |
| N,N-Dimethylacrylamide                                  | = 316 mg/kg (Rat)   | 907mg/kg (Rabbit)       | > 776 ppm (Rat)1 h |
| 1-Propanone,<br>2-hydroxy-2-methyl-1-phenyl-            | = 1694 mg/kg (Rat)  | = 6929 mg/kg ( Rat )    | -                  |
| Diphenyl<br>(2,4,6-trimethylbenzoyl)<br>phosphine oxide | -                   | > 2000 mg/kg ( Rat )    | -                  |
| 2-Hydroxyethyl methacrylate                             | = 5050 mg/kg (Rat)  | > 3000 mg/kg ( Rabbit ) | -                  |
| Bisphenol-A epoxy resin                                 | = 11400 mg/kg (Rat) | -                       | -                  |

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation. Classification based on data available for ingredients. Causes skin

irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage

**Respiratory or skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Page 9 / 15







#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

No information available Reproductive toxicity

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name                                     | European Union |
|---|----------------|
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | Repr. 2        |

May cause respiratory irritation. STOT - single exposure

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties Endocrine disrupting properties

11.2.2. Other information

Other adverse effects No information available.

#### **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

| Chemical name   | Algae/aquatic plants  | Fish   | Toxicity to microorganisms | Crustacea                                |
|---|---|--|----------------------------|--|
| Isobornyl Acrylate                                      | ErC 50 = 2.7 mg/L 96h<br>(Pseudokirchneriella<br>subcapitata) | LC50: =0.704mg/L 96h<br>(Danio rerio)  | -                          | EC 50 = 1.1 mg/L 48 h<br>(Daphnia magna) |
| N,N-Dimethylacrylamide                                  | -   | LC50: >100mg/L 96h<br>(Oncorhynchus mykiss)  | -                          | EC50 > 120 mg/l 48 h<br>(Daphnia magna)  |
| Diphenyl<br>(2,4,6-trimethylbenzoyl)<br>phosphine oxide | -   | LC50 10 mg/l 48 h<br>(Oryzias latipes)   | -                          | -  |
| 2-Hydroxyethyl<br>methacrylate                          | -   | LC50: 213 - 242mg/L<br>(96h, Pimephales<br>promelas)<br>LC50: =227mg/L (96h,<br>Pimephales promelas) | -                          | EC50 > 380 mg/l 48 h<br>(Daphnia magna)  |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name Partition coefficient

Page 10 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

| Isobornyl Acrylate                                | 4.52 |
|---|------|
| N,N-Dimethylacrylamide                            | -0.3 |
| 1-Propanone, 2-hydroxy-2-methyl-1-phenyl-         | 1.62 |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | 3.1  |
| 2-Hydroxyethyl methacrylate                       | 0.42 |

#### 12.4. Mobility in soil

Mobility in soil No information available

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

| Chemical name                                     | PBT and vPvB assessment         |
|---|---------------------------------|
| Isobornyl Acrylate                                | The substance is not PBT / vPvB |
| N,N-Dimethylacrylamide                            | The substance is not PBT / vPvB |
| 1-Propanone, 2-hydroxy-2-methyl-1-phenyl-         | The substance is not PBT / vPvB |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | The substance is not PBT / vPvB |
| 2-Hydroxyethyl methacrylate                       | The substance is not PBT / vPvB |
| Bisphenol-A epoxy resin                           | The substance is not PBT / vPvB |

#### 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do no

Do not reuse empty containers.

#### SECTION 14: Transport information

ATA

14.1 UN number or ID number
14.2 Extended Proper Shipping
Name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user Special Provisions

IMDG

14.1 UN number or ID number Not regulated

Page 11 / 15





### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

| 14.2 Extended Proper Shipping<br>Name<br>14.3 Transport hazard class(es)<br>14.4 Packing group  | Not regulated  Not regulated  Not regulated                                 |
|---|---|
| 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions 14.7 Maritime transport in bulk according to IMO instruments  | Not applicable  None No information available                               |
| RID  14.1 UN number or ID number  14.2 Extended Proper Shipping Name  14.3 Transport hazard class(es)  14.4 Packing group  14.5 Environmental hazards  14.6 Special precautions for user Special Provisions | Not regulated Not regulated Not regulated Not regulated Not applicable None |
| ADR 14.1 UN number or ID number 14.2 Extended Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions       | Not regulated Not regulated Not regulated Not regulated Not applicable None |

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

| 2-Hydroxyethyl methacrylate - 868-77-9 | RG 65 |
|--|-------|

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2) Classification according to AwSV.

Netherlands

| Chemical name                                     | Netherlands - List of | Netherlands - List of | Netherlands - List of |
|---|-----------------------|-----------------------|-----------------------|
|   | Carcinogens           | Mutagens              | Reproductive Toxins   |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide | -                     | -                     | Fertility Category 2  |

**European Union** 

Page 12 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G Revision date 06-Jul-2023

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

| Chemical name  | Restricted substance per REACH Annex XVII | Substance subject to authorization per<br>REACH Annex XIV |
|--|---|---|
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide - 75980-60-8 | 75.                                       | -   |
| 2-Hydroxyethyl methacrylate - 868-77-9                         | 75.                                       | -   |
| Bisphenol-A epoxy resin - 25068-38-6                           | 75.                                       | -   |

#### **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Complies DSL/NDSL Listed on NDSL **EINECS/ELINCS** Complies **ENCS** Complies IECSC Record Notification **KECL** Complies PICCS Complies

Low Volume Exemption (LVE)

NZIoC Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIICS - Australian Industrial Chemicals Introduction Scheme

NZIoC - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

**Chemical Safety Report** No information available

### SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed H302 - Harmful if swallowed

Page 13 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

H311 - Toxic in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage H319 - Causes serious eye irritation

H335 - May cause respiratory irritation H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

# Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL

STEL TWA (time-weighted average) STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Sensitizers

| Classification procedure  |                       |
|---|-----------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used           |
| Acute oral toxicity   | Calculation method    |
| Acute dermal toxicity   | Calculation method    |
| Acute inhalation toxicity - gas                                 | Calculation method    |
| Acute inhalation toxicity - vapor                               | Calculation method    |
| Acute inhalation toxicity - dust/mist                           | Calculation method    |
| Skin corrosion/irritation                                       | Calculation method    |
| Serious eye damage/eye irritation                               | Calculation method    |
| Respiratory sensitization                                       | Calculation method    |
| Skin sensitization  | Calculation method    |
| Mutagenicity  | Calculation method    |
| Carcinogenicity   | Calculation method    |
| Reproductive toxicity   | Calculation method    |
| STOT - single exposure  | Calculation method    |
| STOT - repeated exposure  | Calculation method    |
| Acute aquatic toxicity  | On basis of test data |
| Chronic aquatic toxicity  | On basis of test data |
| Aspiration hazard   | Calculation method    |
| Ozone   | Calculation method    |

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Page 14 / 15





#### **Manufacturer:**

Dymax®

### **Product Name:**

Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

#### **Manufacturer Part Number:**

OP-21G-3ML

Click here for more details on the Dymax OP-21G Plastic Bonding UV Adhesive (3ml)

OP-21G - OP-21G

Revision date 06-Jul-2023

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

06-Jul-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 15 / 15



