

Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

1. Identification

Product identifier

Product Name OP-67-LS

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants.

Restrictions on use Consumer use.

Details of the supplier of the safety data sheet

Manufacturer

Dymax Corporation 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Fax: 860-496-0608

E-mail address Product_Regulatory@dymax.com

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. Hazard(s) identification

Emergency Overview				
Appearance opaque	Physical state Liquid	Odor Strong Characteristic		

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word Danger

Page 1/12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

Hazard statements

Causes skin irritation Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing cancer.







Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No.	Trade secret	Weight-%
Inorganic Filler	Proprietary	*	40-69
Glass Spheres	Proprietary	*	10-24
N,N-Dimethylacrylamide	2680-03-7	*	5-9
Acrylic Acid	79-10-7	*	1-<3
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl	15625-89-5	*	1-<3

Page 2 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

diacrylate; 2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate			
Visible photoinitiator	Proprietary	*	1-<3
Photoinitiator	Proprietary	*	1-<3
Silane Coupling Agent	Proprietary	*	<1
Sodium Hydroxide	1310-73-2	*	<1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO2.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact.

Page 3 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

Hazardous combustion products

Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NOx).

Explosion data
Sensitivity to mechanical impact: None. Sensitivity to static discharge

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak

Other information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice, Protect from light, Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place, Protect from light.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Page 4 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Inorganic Filler	TWA: 1 mg/m³ respirable particulate matter	•	•
Glass Spheres	TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable particulate matter		
Acrylic Acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³ (vacated) S*	TWA: 2 ppm TWA: 6 mg/m³
Sodium Hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid Appearance: opaque Color: white

Odor: Strong Characteristic
Odor threshold: No information available

 Property
 Values
 Remarks
 • Method

 pH
 No data available
 None known

 Melting point / freezing point
 No data available
 None known

Page 5 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Revision date 22-Dec-2023 Issuing Date 22-Dec-2023 Revision Number 31

Boiling point / boiling range No data available

> 101 °C / 213.8 °F No data available Flash point Pensky-Martens Closed Cup (PMCC) Evaporation rate None known

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available limits Lower flammability or explosive No data available

limits Vapor pressure No data available None known Relative vapor density No data available None known

Relative density 1.14 None known Insoluble in water Water solubility Solubility(ies) No data available None known Partition coefficient No data available None known 438 °C / 820.4 °F None known Autoignition temperature Decomposition temperature None known Kinematic viscosity No data available None known

135,000 cP

Dynamic viscosity Other information

Explosive properties: No information available Oxidizing properties: No information available No information available Softening point: Molecular weight: No information available Liquid Density: No information available No information available **Bulk density:**

10. Stability and reactivity

Reactivity

No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of hazardous reactions

None under normal processing

Hazardous polymerization

None under normal processing

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Page 6 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

Product Information

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eves.

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 2,274.20 mg/kg 8,083.00 mg/kg ATEmix (dermal): ATEmix (inhalation-dust/mist): 107.60 mg/l ATEmix (inhalation-vapor): 99,999.00 mg/l

Unknown acute toxicity
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Inorganic Filler	> 5000 mg/kg (Rat)	-	-
N,N-Dimethylacrylamide	= 316 mg/kg (Rat)	907mg/kg (Rabbit)	> 776 ppm (Rat) 1 h
Acrylic Acid	= 193 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate; 2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	= 5190 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	-
Visible photoinitiator	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Photoinitiator	= 1694 mg/kg (Rat)	= 6929 mg/kg (Rat)	-
Silane Coupling Agent	= 23.5 g/kg (Rat)	> 2000 mg/kg (Rat)	> 2.28 mg/L (Rat)6 h
Sodium Hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation:

Classification based on data available for ingredients. Irritating to skin

Page 7 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 Revision Number 31

Serious eye damage/eye irritation:

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Respiratory or skin sensitization:

May cause sensitization by skin contact.

Germ cell mutagenicity:

Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity:

Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Glass Spheres	-	Group 3	-	-
Acrylic Acid	-	Group 3	-	-
2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl	-	Group 2B	-	X
diacrylate; 2,2-bis(acryloyloxymethyl)butyl acrylate;				
trimethylolpropane triacrylate		l		

Legend:

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity:

Not classified. Based on available data, the classification criteria are not met.

STOT - single exposure:

Not classified. Based on available data, the classification criteria are not met.

STOT - repeated exposure:

Not classified. Based on available data, the classification criteria are not met.

Target organ effects:

Respiratory system. Eyes. Skin.

Aspiration hazard:

Not classified. Based on available data, the classification criteria are not met.

12. Ecological information

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Chemical name	Algae/aquatic plants	Fish	Crustacea	
N,N-Dimethylacrylamide	-	LC50: >100mg/L 96h	EC50 > 120 mg/l 48 h	
		(Oncorhynchus mykiss)	(Daphnia magna)	
Acrylic Acid	EC50: =0.04mg/L	LC50: =222mg/L (96h,	EC50:=95mg/L (48h, Daphnia	
	(72h, Desmodesmus subspicatus)	Brachydanio rerio) NOEC: >=	magna)	
	EC50: =0.17mg/L	10.1mg/L (45d, Oryzias latipes,	NOEC: =3.8mg/L (21d, Daphnia	
	(96h, Pseudokirchneriella	OECD 210)	magna)	
	subcapitata)			
Visible photoinitiator	-	LC50: >90µg/L	-	
		(96h, Danio rerio)		
Silane Coupling Agent	EC50 > 536,00 mg/l 72 h	LC50: >100mg/L	EC50 > 876,00 mg/l 48 h	
	(Scenedesmus subspicatus)	(96h Danio rerio)	(Daphnia magna)	

Page 8 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date22-Dec-2023Revision date22-Dec-2023Revision Number31

Sodium Hydroxide	-	LC50: =45.4mg/L (96h,	-
•		Oncorhynchus mykiss)	

Persistence and degradability

No information available

Bioaccumulation

Component Information

iddon	
Chemical name	Partition coefficient
N,N-Dimethylacrylamide	-0.3
Acrylic Acid	0.46
xoallyl)oxy]methyl]-1,3-propanediyl diacrylate;	> 4
nethyl)butyl acrylate; trimethylolpropane triacrylate	
Visible photoinitiator	5.8
Photoinitiator	1.62
Silane Coupling Agent	2.1
	Chemical name N,N-Dimethylacrylamide Acrylic Acid xoallyl)oxy]methyl]-1,3-propanediyl diacrylate; nethyl)butyl acrylate; trimethylolpropane triacrylate Visible photoinitiator Photoinitiator

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number: U008

14. Transport information

 IMDG
 Not regulated

 IATA
 Not regulated

 DOT
 Not regulated

15. Regulatory information

International Inventories

Commercial Activity Designation - Active

TSCA - Complies

AIIC Complies
DSL/NDSL Listed on NDSL
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

Page 9 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Revision date 22-Dec-2023 Issuing Date 22-Dec-2023 Revision Number 31

KECL PICCS NZIoC Not Listed Complies TCSI Complies

Legend:
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AIICS - Australian Industrial Chemicals Introduction Scheme

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

NZIoC - New Zealand Inventory of Chemicals TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Acrylic Acid	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications

CWA (Clean Water Act)
This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
	Quantities	Pollutants	Pollutants	Substances
Sodium Hydroxide	1000 lb	-	-	X

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Acrylic Acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium Hydroxide	1000 lb	-	RQ 1000 lb final RQ

California Proposition 65

This product contains the following Proposition 65 chemicals:



1	Chemical name	California Proposition 65
	2-ethyl-2-[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl diacrylate;	Carcinogen
	2,2-bis(acryloyloxymethyl)butyl acrylate; trimethylolpropane triacrylate	
	15625-89-5 (1-<3)	

Page 10 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023 **Revision Number** 31

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distilled Water	-	-	Х
Acrylic Acid	X	X	X
Sodium Hydroxide	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

16. Other information

NFPA Health hazards 3 Flammability 1 Instability 0 Special hazards Health hazards 3 Physical hazards 0 HMIS Flammability 1 Personal protection X Chronic Hazard Star Legend: = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID) Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 22-Dec-2023

Revision Note The symbol (*) in the margin of this SDS indicates that this line has been revised

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best

Page 11 / 12





Manufacturer:

Dymax®

Product Name:

Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

Manufacturer Part Number:

OP-67-LS-30ML

Click here for more details on the Dymax OP-67-LS Optical Positioning UV Adhesive (30ml)

OP-67-LS

Issuing Date 22-Dec-2023 Revision date 22-Dec-2023

Revision Number 31

knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet

Page 12 / 12



